

32 Cherry Blossom Road Cambridge, Ontario N3H 4R7 1 (800) 434-8248 • (519) 279-4860 Fax: (877) 434-8250



# SAFETY DATA SHEET

**Section 1: Product Identification** 

Product Name Identified Uses Supplier's Details Lava Melt <sup>®</sup> Ice Melter

32 ChCambPhone Number(519)Available Packaging50 lbEmergency Contact (24 Hrs)(613)

Melt Snow and Ice The Kissner Group 32 Cherry Blossom Road Cambridge, Ontario, Canada N3H 4R7 (519) 279-4860 50 Ib Bag (613) 996-6666 CANUTEC

### **Section 2: Hazard Identification**

Classification (GHS)	Not Classified
GHS Labelling	No Labelling applicable
Percentage	Not applicable
Other Hazards	Exposure may aggravate thos

xposure may aggravate those with pre-existing eye, skin, or respiratory conditions. When eated to decomposition, emits toxic fumes. Corrosive to metals upon prolonged contact.

## Section 3: Composition/Information On Ingredients

Ingredients	Percentage	CAS. NO.	Classification
Sodium Chloride	80.0-99.9%	7647-14-5	Not Classified
Calcium Chloride	0.01-5.0%	10043-52-4	Eye Irrit. 2A, H319
Magnesium Chloride	0.01-5.0%	7786-30-3	Not Classified
Calcium Magnesium Acetate (CMA)	0.01-5.0%	76123-46-1	Acute Tox. 4 (Inhalation:dust,mist), H332;
Calcium Magnesium Acetate (CIVIA)	0.01-5.0%	70125-40-1	Eye Irrit. 2B, H320
Potassium Chloride	0.01-5.0%	7447-40-7	Aquatic Acute 3, H402
Product may contain color indicator		N/A	

# Section 4: First-Aid Measures

#### **Description of First Aid Measures**

General	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice.
Inhalation	When symptoms occur: go into open air and ventilate suspected area. Remove to fresh air and keep at rest in a position comfortable for breathing. Obtain medical attention if breathing difficulty persists.
Skin Contact	Remove contaminated clothing. Brush off loose particles. Drench affected area with water for at least
Skin Contact	15 minutes. Obtain medical attention if irritation persists. Wash contaminated clothing before reuse.
Eye Contact	Rinse cautiously with water for several minutes. Brush off loose particles. Remove contact lenses, if
Lye contact	present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists.
Ingestion	Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.



32 Cherry Blossom Road Cambridge, Ontario N3H 4R7 1 (800) 434-8248 • (519) 279-4860 Fax: (877) 434-8250



#### Most Important Symptoms and Effects Both Acute and Delayed

General	Dust may cause mechanical irritation to eyes, nose, throat, and lungs	
Inhalation	Prolonged contact with large amounts of dust may cause mechanical irritation.	
Skin Contact Skin contact with large amounts of dust may cause mechanical irritation.		
Eye Contact	Contact may cause irritation due to mechanical abrasion	
Ingestion Ingestion is not likely to be harmful or have adverse effects		
Other Contact with large amount of dust may cause mechanical irritation to eyes, nose, throat, a lungs.		
Chronic Symptoms	Not available	

## **Section 5: Fire-Fighting Measures**

Suitable Extinguishing Media:	Use extinguishing media appropriate for surrounding fire.
Unsuitable Extinguishing Media:	Do not use a heavy water stream. Use of heavy stream of water may spread fire.
Fire Hazard:	Not considered flammable but may burn at high temperatures.
Explosion Hazard:	Product is not explosive.
Reactivity:	When heated to decomposition, emits toxic fumes. Toxic Gas.
Hazardous Combustion Products:	Toxic fumes are released. Hydrogen chloride. Sodium oxides. Chlorine.
Other Information:	Do not allow run-off from firefighting to enter drains or water courses.

# **Section 6: Accidental Release Measures**

Personal Precautions	Avoid breathing (dust). Avoid all contact with skin, eyes, or clothing.
Protective Equipment:	Use appropriate personal protection equipment (PPE).
<b>Environmental Precautions</b>	Prevent entry to sewers and public waters. Avoid release to the environment.
Methods for Cleaning Up	Clear up spills immediately and dispose of waste safely. Recover the product by vacuuming, shoveling or sweeping. Contact competent authorities after a spill.

### Section 7: Handling And Storage

#### **Precautions for Safe Handling**

	When heated to decomposition, emits toxic fumes. Contact with water causes an
Additional Hazards	exothermic heat reaction, which may cause significant temperature rise. Corrosive to
When Processed	metals upon prolonged contact. May release hydrogen gas on prolonged contact with certain metals.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work. Do not eat, drink or smoke when using this product. Wash hands and forearms thoroughly after handling.

Conditions for Safe Storage, Including Any Incompatibilities



32 Cherry Blossom Road Cambridge, Ontario N3H 4R7 1 (800) 434-8248 • (519) 279-4860 Fax: (877) 434-8250



Technical Measures Storage Conditions	Comply with applicable regulations Store in a dry, cool and well-ventilated place. Keep container closed when not in use. Keep/Store away from extremely high or low temperatures, direct sunlight, heat, ignition sources, and incompatible materials.	
Incompatible Materials		
Secti	on 8:	Exposure Controls/Personal Protection
Control Parameters		No Occupational Exposure Limits (OELs) have been established for this product or its chemical components.
Appropriate Engineering C	ontrols	Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure all national/local regulations are observed. Ensure adequate ventilation, especially in confined areas
Personal Protective Equip	nent	Protective goggles. Protective clothing. Insufficient ventilation: wear respiratory protection. Gloves.
Materials for Protective Cl	othing:	Chemically resistant materials and fabrics.
Hand Protection:		Wear chemically resistant protective gloves.
Eye Protection:		Chemical goggles or face shield.
Skin and Body Protection:		Wear suitable protective clothing.
Respiratory Protection:		Use NIOSH-approved air-purifying or supplied-air respirator where airborne

**Respiratory Protection:** 

concentrations are expected to exceed exposure limits.

### **Section 9: Physical And Chemical Properties**

Appearance/ Physical State
Vapour Pressure (mm Hg at 20°C)
Vapour Density (Air = 1.0)
Bulk Density
Solubility in Water
Specific Gravity (gm/cc, Water = 1.0)
% Volatile by Volume
Boiling Range (Deg. Celsius)
Melting Point
<b>Coefficient of Water/Oil Distribution</b>
рН

Orange colored granules. Odorless. Not applicable Not applicable Not applicable Water Soluble Not applicable Non-volatile Not available Not available Not applicable

#### 10 (1% solution @ 20°C)

### **Section 10: Stability And Reactivity**

**Chemical Stability: Reactivity:** 

Stable under normal conditions. When heated to decomposition, emits toxic fumes. Toxic Gas.



32 Cherry Blossom Road Cambridge, Ontario N3H 4R7 1 (800) 434-8248 • (519) 279-4860 Fax: (877) 434-8250



Possibility of Hazardous Reactions: Conditions to Avoid: Incompatible Materials: Hazardous Decomposition Products: Polymerization occurs with calcium chloride when mixed with methyl vinyl ether. Direct sunlight. Extremely high or low temperatures. Incompatible materials. Strong acids. Strong bases. Strong oxidizers. Reactive metals. Toxic gases. Hydrogen chloride. Chlorine. Sodium oxides. Oxides of magnesium. Oxides of calcium.

### **Section 11: Toxicological Information**

Acute Toxicity:	Not classified
LD50 and LC50 Data:	Not available
Skin Corrosion/Irritation:	Not classified pH: 10
Serious Eye Damage/Irritation:	Not classified pH: 10
Respiratory or Skin Sensitization:	Not classified
Germ Cell Mutagenicity:	Not classified
Teratogenicity:	Not available
Carcinogenicity:	Not classified
Specific Target Organ Toxicity (Repeated Exposure):	Not classified
Reproductive Toxicity:	Not classified
Specific Target Organ Toxicity (Single Exposure):	Not classified
Aspiration Hazard:	Not classified

Information on Toxicological Effects - Ingredient(s)

Sodium chloride (7647-14-5)	LD50 Oral Rat	3 g/kg
Socium chionae (7647-14-5)	LC50 Inhalation Rat	> 42 g/m <sup>3</sup> (Exposure time: 1 h)
Coloium Chlorida (10042 F2 4)	LD50 Oral Rat	1455-2781 mg/kg
Calcium Chloride (10043-52-4)	LD50 Dermal Rabbit	> 5000 mg/kg
Calcium Magnesium Acetate (76123-46-1)	LC50 Inhalation Rat	> 4600 mg/m <sup>3</sup> (Exposure time: 4 h)
Potassium Chloride (7447-40-7)	LD50 Oral Rat	2600 mg/kg

### Section 12: Ecological Information

Toxicity

No additional information available

Sodium chloride (7647-14-5)

LC50 Fish 1	5560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow- through])
EC50 Daphnia 1	1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC 50 Fish 2	12946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
EC50 Daphnia 2	340.7 (340.7 - 469.2) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])

Calcium Chloride (10043-52-4)	
LC50 Fish 1	10650 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
EC50 Daphnia 1	2400 mg/l (Exposure time: 48 h - Species: Daphnia magna)



32 Cherry Blossom Road Cambridge, Ontario N3H 4R7 1 (800) 434-8248 • (519) 279-4860 Fax: (877) 434-8250



#### Potassium Chloride (7447-40-7)

LC50 Fish 1	1060 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [stactic])		
EC50 Daphnia 1	825 mg/l (Exposure time: 48 h - Species: Daphnia magna)		
LC 50 Fish 2	750-1020 mg/l (Exposure time: 96 h - Species: Pimephales Promelas [stactic])		
EC50 Daphnia 2	83 mg/l (Exposure time: 48 h - Species: Daphnia magna [stactic])		
Persistence and degradability	Not available		
Bio accumulative potential			
Sodium chloride (7647-14-5)	BCF Fish 1	(no bioaccumulation)	
Calcium chloride (10043-52-4)	BCF Fish 1	(no bioaccumulation)	
Mobility in Soil	Not available		
Other Information	Avoid release to the environmer	nt	

### **Section 13: Disposal Considerations**

Waste Disposal Recommendations Dispose of waste material in accordance with all local, regional, national, provincial, territorial and international regulations.

### **Section 14: Transport Information**

In Accordance with DOT
In Accordance with IMDG
In Accordance with IATA
In Accordance with TDG

Not regulated for transport Not regulated for transport Not regulated for transport Not regulated for transport

### Section 15: Regulatory Information

US Federal Regulations	
Sodium chloride (7647-14-5)	Listed on the United States TSCA (Toxic Substances Control Act) inventory
Calcium chloride (10043-52-4)	Listed on the United States TSCA (Toxic Substances Control Act) inventory
Potassium Chloride (7447-40-7)	Listed on the United States TSCA (Toxic Substances Control Act) inventory
Canadian Regulations	
Lava Melt <sup>®</sup> Ice Melter	
WHMIS Classification	Uncontrolled product according to WHMIS classification criteria
Sodium chloride (7647-14-5)	Listed on the Canadian DSL (Domestic Substances List)
WHMIS Classification	Uncontrolled product according to WHMIS classification criteria
Calcium chloride (10043-52-4)	Listed on the Canadian DSL (Domestic Substances List)
WHMIS Classification	Class D Division 2 Subdivision B - Toxic material causing other toxic effects
Calcium Magnesium Acetate (76123-46-1)	Listed on the Canadian DSL (Domestic Substances List)
WHMIS Classification	Class D Division 2 Subdivision B - Toxic material causing other toxic effects



32 Cherry Blossom Road Cambridge, Ontario N3H 4R7 1 (800) 434-8248 • (519) 279-4860 Fax: (877) 434-8250



Magnesium Chloride (77	'86-30-3)	
WHMIS Classification	Uncontrolled product according to WHMIS classification criteria	
Potassium Chloride (744	7-40-7) Listed on the Canadian DSL (Domestic Substances List)	
WHMIS Classification	Class D Division 2 Subdivision B - Toxic material causing other toxic effects	
This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by CPR.		
Section 16: Other Information		
Other Information:	This document has been prepared in accordance with the SDS requirements of the OSHA	
	Hazard Communication Standard 29 CFR 1910.1200.	
Effective Date:	Hazard Communication Standard 29 CFR 1910.1200. March 11, 2015	
Effective Date: Version		