

32 Cherry Blossom Road Cambridge, Ontario N3H 4R7 1 (800) 434-8248 • (519) 279-4860 Fax: (877) 434-8250



SAFETY DATA SHEET

Section 1: Product Identification

Product Name Ice Cutter ® Ice Melter Identified Uses Melt Snow and Ice Supplier's Details The Kissner Group

32 Cherry Blossom Road

Cambridge, Ontario, Canada N3H 4R7

Phone Number (519) 279-4860

Available Packaging 50 lb Bag, 50 lb Box, 50 lb Pail,100 lb Drum, 1000 kg Tote

Emergency Contact (24 Hrs) (613) 996-6666 CANUTEC

Section 2: Hazard Identification

Classification (GHS) Not Classified

GHS Labelling No Labelling applicable

Percentage Not applicable

Other Hazards Exposure may aggravate those with pre-existing eye, skin, or respiratory conditions. When

heated to decomposition, emits toxic fumes. Corrosive to metals upon prolonged contact.

Section 3: Composition/Information On Ingredients

Ingredients	Percentage	CAS. NO.	Classification
Sodium Chloride	75.0-99.9%	7647-14-5	Not Classified
Magnesium Chloride	0.01-5.0%	7786-30-3	Not Classified
Potassium Chloride	0.01-5.0%	7447-40-7	Aquatic Acute 3, H402
Product may contain color indicator		N/A	

Section 4: First-Aid Measures

Description of First Aid Measures

General Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice.

When symptoms occur: go into open air and ventilate suspected area. Remove to fresh air and keep at

rest in a position comfortable for breathing. Obtain medical attention if breathing difficulty persists.

Skin Contact

Remove contaminated clothing. Brush off loose particles. Drench affected area with water for at least 15 minutes. Obtain medical attention if irritation persists. Wash contaminated clothing before reuse.

Rinse cautiously with water for several minutes. Brush off loose particles. Remove contact lenses, if

Eye Contact present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists.

Ingestion Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

Most Important Symptoms and Effects Both Acute and Delayed

General Dust may cause mechanical irritation to eyes, nose, throat, and lungs



32 Cherry Blossom Road N3H 4R7 Cambridge, Ontario 1 (800) 434-8248 • (519) 279-4860 Fax: (877) 434-8250



Inhalation Prolonged contact with large amounts of dust may cause mechanical irritation.

Skin Contact Skin contact with large amounts of dust may cause mechanical irritation.

Eye Contact Contact may cause irritation due to mechanical abrasion Ingestion Ingestion is not likely to be harmful or have adverse effects

Contact with large amount of dust may cause mechanical irritation to eyes, nose, throat, and Other

lungs.

Not available **Chronic Symptoms**

Section 5: Fire-Fighting Measures

Suitable Extinguishing Media: Use extinguishing media appropriate for surrounding fire.

Unsuitable Extinguishing Media: Do not use a heavy water stream. Use of heavy stream of water may spread fire.

Not considered flammable but may burn at high temperatures. Fire Hazard:

Explosion Hazard: Product is not explosive.

Reactivity: When heated to decomposition, emits toxic fumes. Toxic Gas.

Hazardous Combustion Products: Toxic fumes are released. Hydrogen chloride. Sodium oxides. Chlorine. Other Information: Do not allow run-off from firefighting to enter drains or water courses.

Section 6: Accidental Release Measures

Personal Precautions Avoid breathing (dust). Avoid all contact with skin, eyes, or clothing.

Use appropriate personal protection equipment (PPE). **Protective Equipment:**

Environmental Precautions Prevent entry to sewers and public waters. Avoid release to the environment. Clear up spills immediately and dispose of waste safely. Recover the product by

Methods for Cleaning Up vacuuming, shoveling or sweeping. Contact competent authorities after a spill.

Section 7: Handling And Storage

Precautions for Safe Handling

When heated to decomposition, emits toxic fumes. Contact with water causes an

Additional Hazards exothermic heat reaction, which may cause significant temperature rise. Corrosive to When Processed

metals upon prolonged contact. May release hydrogen gas on prolonged contact with

certain metals.

Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again

Hygiene Measures when leaving work. Do not eat, drink or smoke when using this product. Wash hands and

forearms thoroughly after handling.

Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures Comply with applicable regulations

Store in a dry, cool and well-ventilated place. Keep container closed when not in use.

Storage Conditions Keep/Store away from extremely high or low temperatures, direct sunlight, heat, ignition

sources, and incompatible materials.

Incompatible Materials Strong acids. Strong bases. Strong oxidizers.



32 Cherry Blossom Road Cambridge, Ontario N3H 4R7 1 (800) 434-8248 • (519) 279-4860 Fax: (877) 434-8250



Section 8: Exposure Controls/Personal Protection

Control Parameters

No Occupational Exposure Limits (OELs) have been established for this product or its

chemical components.

Appropriate Engineering

Controls

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure all national/local regulations are observed.

Ensure adequate ventilation, especially in confined areas

Personal Protective

protection. Gloves.

Equipment

Protective goggles. Protective clothing. Insufficient ventilation: wear respiratory

Materials for Protective

Clothing:

Chemically resistant materials and fabrics.

Hand Protection: Wear chemically resistant protective gloves.

Eye Protection: Chemical goggles or face shield. **Skin and Body Protection:** Wear suitable protective clothing.

Respiratory Protection:

Use NIOSH-approved air-purifying or supplied-air respirator where airborne

concentrations are expected to exceed exposure limits.

Section 9: Physical And Chemical Properties

Appearance/ Physical State Green Colored Granules

Vapour Pressure (mm Hg at 20°C) Not applicable Vapour Density (Air = 1.0) Not applicable **Bulk Density** Not applicable **Solubility in Water** Water Soluble Specific Gravity (gm/cc, Water = 1.0) Approx. 2.14 % Volatile by Volume Non-volatile **Boiling Range (Deg. Celsius)** Not available **Melting Point** Not available **Coefficient of Water/Oil Distribution** Not applicable

pH 10 (1% solution @ 20°C)

Section 10: Stability And Reactivity

Chemical Stability: Stable under normal conditions.

Reactivity: When heated to decomposition, emits toxic fumes. Toxic Gas.

Possibility of Hazardous Reactions: Polymerization occurs with calcium chloride when mixed with methyl vinyl ether.

Conditions to Avoid: Direct sunlight. Extremely high or low temperatures. Incompatible materials.

Incompatible Materials: Strong acids. Strong bases. Strong oxidizers. Reactive metals.

Hazardous Decomposition Toxic gases. Hydrogen chloride. Chlorine. Sodium oxides. Oxides of magnesium.

Products: Oxides of calcium.



32 Cherry Blossom Road Cambridge, Ontario N3H 4R7 1 (800) 434-8248 • (519) 279-4860 Fax: (877) 434-8250



Section 11: Toxicological Information

Acute Toxicity: Not classified LD50 and LC50 Data: Not available

Skin Corrosion/Irritation:Not classified pH: 10Serious Eye Damage/Irritation:Not classified pH: 10

Not classified **Respiratory or Skin Sensitization:** Not classified **Germ Cell Mutagenicity:** Not available Teratogenicity: Not classified **Carcinogenicity: Specific Target Organ Toxicity (Repeated Exposure):** Not classified **Reproductive Toxicity:** Not classified **Specific Target Organ Toxicity (Single Exposure):** Not classified Not classified **Aspiration Hazard:**

Information on Toxicological Effects - Ingredient(s)

Sodium chloride (7647-14-5)	LD50 Oral Rat	3 g/kg
	LC50 Inhalation Rat	> 42 g/m³ (Exposure time: 1 h)
Potassium Chloride (7447-40-7)	LD50 Oral Rat	2600 mg/kg

Section 12: Ecological Information

Toxicity No additional information available

Sodium chloride (7647-14-5)

LC50 Fish 1	5560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow- through])
EC50 Daphnia 1	1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC 50 Fish 2	12946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
EC50 Daphnia 2	340.7 (340.7 - 469.2) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])

Potassium Chloride (7447-40-7)

LC50 Fish 1	1060 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [stactic])
EC50 Daphnia 1	825 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC 50 Fish 2	750-1020 mg/l (Exposure time: 96 h - Species: Pimephales Promelas [stactic])
EC50 Daphnia 2	83 mg/l (Exposure time: 48 h - Species: Daphnia magna [stactic])

Persistence and degradability Not available

Bio accumulative potential

Sodium chloride (7647-14-5) BCF Fish 1 (no bioaccumulation)

Mobility in Soil Not available

Other Information Avoid release to the environment

Section 13: Disposal Considerations

Waste Disposal Dispose of waste material in accordance with all local, regional, national, provincial,

Recommendations territorial and international regulations.



32 Cherry Blossom Road Cambridge, Ontario N3H 4R7 1 (800) 434-8248 • (519) 279-4860 Fax: (877) 434-8250



Section 14: Transport Information

In Accordance with DOT

In Accordance with IMDG

In Accordance with IATA

Not regulated for transport

Section 15: Regulatory Information

US Federal Regulations

Sodium chloride (7647-14-5)	Listed on the United States TSCA (Toxic Substances Control Act) inventory
Potassium Chloride (7447-40-7)	Listed on the United States TSCA (Toxic Substances Control Act) inventory

Canadian Regulations

Ice Cutter ® Ice Melter	
WHMIS Classification	Uncontrolled product according to WHMIS classification criteria

Sodium chloride (7647-14-5)	Listed on the Canadian DSL (Domestic Substances List)
WHMIS Classification	Uncontrolled product according to WHMIS classification criteria

Magnesium Chloride (7786-30-3)	
WHMIS Classification	Uncontrolled product according to WHMIS classification criteria

Potassium Chloride (7447-40-7)	Listed on the Canadian DSL (Domestic Substances List)	
WHMIS Classification	Class D Division 2 Subdivision B - Toxic material causing other toxic effects	

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by CPR.

Section 16: Other Information

Effective Date: November 26, 2014

Version

Contact sds@kissner.com

The information is, to the best of our knowledge and belief, accurate and reliable as of the date compiled. However, no representation, warranty or guarantee is made to its accuracy, reliability or completeness. It is the user's responsibility to review this information, satisfy themselves as to its suitability and completeness and pass on the information to its employees or customers. Kissner Group does not accept responsibility for any loss or damage, which may occur from the use of this information.