

32 Cherry Blossom Road Cambridge, Ontario N3H 4R7 1 (800) 434-8248 • (519) 279-4860 Fax: (877) 434-8250



SAFETY DATA SHEET

Section 1: Product Identification

Product Name Safer Than Salt® Commercial Performance Ice Melter

Identified UsesMelt Snow and IceSupplier's DetailsThe Kissner Group

32 Cherry Blossom Road, Cambridge, Ontario, Canada N3H 4R7

Phone Number (519) 279-4860

Emergency Contact (24 Hrs) (613) 996-6666 CANUTEC

Section 2: Hazard Identification

Classification (GHS) Not Classified

GHS Labelling No Labelling applicable

Percentage Not applicable

Other Hazards

Exposure may aggravate those with pre-existing eye, skin, or respiratory conditions. When

heated to decomposition, emits toxic fumes. Corrosive to metals upon prolonged contact.

Section 3: Composition/Information On Ingredients

Ingredients	Percentage	CAS. NO.	Classification
Sodium Chloride	80.0-99.9%	7647-14-5	Not Classified
Calcium Chloride	0.01-5.0%	10043-52-4	Eye Irrit. 2A, H319
Magnesium Chloride	0.01-5.0%	7786-30-3	Not Classified
Calcium Magnesium Acetate (CMA)	0.01-5.0%	76123-46-1	Acute Tox. 4 (Inhalation:dust,mist),
Calcium Magnesium Acetate (CMA)	0.01-5.0%	70123-40-1	H332; Eye Irrit. 2B, H320
Potassium Chloride	0.01-5.0%	7447-40-7	Aquatic Acute 3, H402
Product may contain color indicator			

Section 4: First-Aid Measures

Description of First Aid Measures

General Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice.

When symptoms occur: go into open air and ventilate suspected area. Remove to fresh air and keep at

rest in a position comfortable for breathing. Obtain medical attention if breathing difficulty persists.

Skin Contact

Remove contaminated clothing. Brush off loose particles. Drench affected area with water for at least

15 minutes. Obtain medical attention if irritation persists. Wash contaminated clothing before reuse.



Ingestion

THE KISSNER GROUP

32 Cherry Blossom Road Cambridge, Ontario N3H 4R7 1 (800) 434-8248 • (519) 279-4860 Fax: (877) 434-8250



Eye Contact

Rinse cautiously with water for several minutes. Brush off loose particles. Remove contact lenses, if

present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists. Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

Most Important Symptoms and Effects Both Acute and Delayed

General Dust may cause mechanical irritation to eyes, nose, throat, and lungs

Inhalation Prolonged contact with large amounts of dust may cause mechanical irritation.

Skin Contact Skin contact with large amounts of dust may cause mechanical irritation.

Eye Contact Contact may cause irritation due to mechanical abrasion

Ingestion Ingestion is not likely to be harmful or have adverse effects

Other Contact with large amount of dust may cause mechanical irritation to eyes, nose, throat, and

lungs.

Chronic Symptoms Not available

Section 5: Fire-Fighting Measures

Suitable Extinguishing Media: Use extinguishing media appropriate for surrounding fire.

Unsuitable Extinguishing Media: Do not use a heavy water stream. Use of heavy stream of water may spread fire.

Fire Hazard: Not considered flammable but may burn at high temperatures.

Explosion Hazard: Product is not explosive.

Reactivity: When heated to decomposition, emits toxic fumes. Toxic Gas.

Hazardous Combustion Products: Toxic fumes are released. Hydrogen chloride. Sodium oxides. Chlorine. **Other Information:** Do not allow run-off from firefighting to enter drains or water courses.

Section 6: Accidental Release Measures

Personal Precautions Avoid breathing (dust). Avoid all contact with skin, eyes, or clothing.

Protective Equipment: Use appropriate personal protection equipment (PPE).

Environmental Precautions Prevent entry to sewers and public waters. Avoid release to the environment.

Methods for Cleaning Up

Clear up spills immediately and dispose of waste safely. Recover the product by

vacuuming, shoveling or sweeping. Contact competent authorities after a spill.

Section 7: Handling And Storage

Precautions for Safe Handling

Additional Hazards
When Processed

When heated to decomposition, emits toxic fumes. Contact with water causes an exothermic heat reaction, which may cause significant temperature rise. Corrosive to metals upon prolonged contact. May release hydrogen gas on prolonged contact with

certain metals.



Hygiene Measures

THE KISSNER GROUP

32 Cherry Blossom Road Cambridge, Ontario N3H 4R7 1 (800) 434-8248 • (519) 279-4860

Fax: (877) 434-8250



Handle in accordance with good industrial hygiene and safety procedures. Wash hands and

other exposed areas with mild soap and water before eating, drinking, or smoking and

again when leaving work. Do not eat, drink or smoke when using this product. Wash hands

and forearms thoroughly after handling.

Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures Comply with applicable regulations

Store in a dry, cool and well-ventilated place. Keep container closed when not in use.

Storage Conditions Keep/Store away from extremely high or low temperatures, direct sunlight, heat, ignition

sources, and incompatible materials.

Incompatible Materials Strong acids. Strong bases. Strong oxidizers.

Section 8: Exposure Controls/Personal Protection

Control Parameters

No Occupational Exposure Limits (OELs) have been established for this product or its

chemical components.

Appropriate Engineering

Controls

Emergency eye wash fountains and safety showers should be available in the

immediate vicinity of any potential exposure. Ensure all national/local regulations are

observed. Ensure adequate ventilation, especially in confined areas

Personal Protective

Equipment

Protective goggles. Protective clothing. Insufficient ventilation: wear respiratory

protection. Gloves.









Materials for Protective

Clothing:

Chemically resistant materials and fabrics.

Hand Protection: Wear chemically resistant protective gloves.

Eye Protection: Chemical goggles or face shield. **Skin and Body Protection:** Wear suitable protective clothing.

Respiratory Protection:

Use NIOSH-approved air-purifying or supplied-air respirator where airborne

concentrations are expected to exceed exposure limits.

Section 9: Physical And Chemical Properties

Appearance Pink/rose colored crystals with pellets and flakes. Odorless

Vapour Pressure (mm Hg at 20°C)Not availableVapour Density (Air = 1.0)Not availableBulk DensityNot availableSolubility in WaterWater SolubleSpecific Gravity (gm/cc, Water = 1.0)Not available



32 Cherry Blossom Road Cambridge, Ontario N3H 4R7 1 (800) 434-8248 • (519) 279-4860 Fax: (877) 434-8250



% Volatile by VolumeNon-volatileBoiling PointNot availableMelting PointNot availableCoefficient of Water/Oil DistributionNot available

pH 10 (1% solution @ 20°C)

Section 10: Stability And Reactivity

Chemical Stability: Stable under normal conditions.

Reactivity: When heated to decomposition, emits toxic fumes. Toxic Gas.

Possibility of Hazardous Reactions: Polymerization occurs with calcium chloride when mixed with methyl vinyl ether. **Conditions to Avoid:** Direct sunlight. Extremely high or low temperatures. Incompatible materials.

Incompatible Materials: Strong acids. Strong bases. Strong oxidizers. Reactive metals.

Hazardous Decomposition Toxic gases. Hydrogen chloride. Chlorine. Sodium oxides. Oxides of magnesium.

Products: Oxides of calcium.

Section 11: Toxicological Information

Acute Toxicity: Not classified LD50 and LC50 Data: Not available **Skin Corrosion/Irritation:** Not classified Serious Eye Damage/Irritation: Not classified **Respiratory or Skin Sensitization:** Not classified Not classified **Germ Cell Mutagenicity:** Not available **Teratogenicity:** Not classified Carcinogenicity: **Specific Target Organ Toxicity (Repeated Exposure):** Not classified **Reproductive Toxicity:** Not classified **Specific Target Organ Toxicity (Single Exposure):** Not classified **Aspiration Hazard:** Not classified

Information on Toxicological Effects - Ingredient(s)

Sodium chloride (7647-14-5)	LD50 Oral Rat	3 g/kg
30dium chioride (7647-14-3)	LC50 Inhalation Rat	> 42 g/m³ (Exposure time: 1 h)
Calcium Chloride (10043-52-4)	LD50 Oral Rat	1455-2781 mg/kg
Calcium Chloride (10043-52-4)	LD50 Dermal Rabbit	> 5000 mg/kg
Calcium Magnesium Acetate (76123-46-1)	LC50 Inhalation Rat	> 4600 mg/m³ (Exposure time: 4 h)
Potassium Chloride (7447-40-7)	LD50 Oral Rat	2600 mg/kg



32 Cherry Blossom Road Cambridge, Ontario N3H 4R7 1 (800) 434-8248 • (519) 279-4860 Fax: (877) 434-8250



Section 12: Ecological Information

Toxicity No additional information available

Sodium chloride (7647-14-5)

LC50 Fish 1	5560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through])	
EC50 Daphnia 1	1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
LC 50 Fish 2	12946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])	
EC50 Daphnia 2	340.7 (340.7 - 469.2) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])	

Calcium Chloride (10043-52-4)

LC50 Fish 1	10650 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
EC50 Daphnia 1	2400 mg/l (Exposure time: 48 h - Species: Daphnia magna)

Potassium Chloride (7447-40-7)

LC50 Fish 1	1060 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [stactic])	
EC50 Daphnia 1	825 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
LC 50 Fish 2	750-1020 mg/l (Exposure time: 96 h - Species: Pimephales Promelas [stactic])	
EC50 Daphnia 2	83 mg/l (Exposure time: 48 h - Species: Daphnia magna [stactic])	

Persistence and degradability Not available

Bio accumulative potential

Sodium chloride (7647-14-5)	BCF Fish 1	(no bioaccumulation)
Calcium chloride (10043-52-4)	BCF Fish 1	(no bioaccumulation)

Mobility in Soil Not available

Other Information Avoid release to the environment

Section 13: Disposal Considerations

Waste Disposal Dispose of waste material in accordance with all local, regional, national, provincial,

Recommendations territorial and international regulations.

Section 14: Transport Information

In Accordance with DOT

In Accordance with IMDG

In Accordance with IATA

In Accordance with IATA

Not regulated for transport

Not regulated for transport

Not regulated for transport

Not regulated for transport



32 Cherry Blossom Road Cambridge, Ontario N3H 4R7 1 (800) 434-8248 • (519) 279-4860 Fax: (877) 434-8250



Section 15: Regulatory Information

36	Section 15. Regulatory information		
US Federal Regulations			
Sodium chloride (7647-14-5)		Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Calcium chloride (10043-52-4)		Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Potassium Chloride (7447-40-7)		Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Canadian Regulations			
Safer Than Salt® Commercial Perf	ormanc	e Ice Melter	
WHMIS Classification		Uncontrolled product according to WHMIS classification criteria	
Sodium chloride (7647-14-5)		Listed on the Canadian DSL (Domestic Substances List)	
WHMIS Classification		Uncontrolled product according to WHMIS classification criteria	
Calcium chloride (10043-52-4)		Listed on the Canadian DSL (Domestic Substances List)	
WHMIS Classification		Class D Division 2 Subdivision B - Toxic material causing other toxic effects	
Magnesium Chloride (7786-30-3)			
WHMIS Classification	Uncontrolled product according to WHMIS classification criteria		
Calcium Magnesium Acetate (76123-46-1)	Listed on the Canadian DSL (Domestic Substances List)		
WHMIS Classification	Class D Division 2 Subdivision B - Toxic material causing other toxic effects		
Potassium Chloride (7447-40-7)	Listed on the Canadian DSL (Domestic Substances List)		

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by CPR.

Section 16: Other Information

Other Information

WHMIS Classification

This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.

Class D Division 2 Subdivision B - Toxic material causing other toxic effects

Effective Date

June 1, 2015

Version

2

Contact

sds@kissner.com

The information is, to the best of our knowledge and belief, accurate and reliable as of the date compiled. However, no representation, warranty or guarantee is made to its accuracy, reliability or completeness. It is the user's responsibility to review this information, satisfy themselves as to its suitability and completeness and pass on the information to its employees or customers. Kissner Group does not accept responsibility for any loss or damage, which may occur from the use of this information.